

```

1  [% USE raw %]
2  [% USE Koha %]
3  [% USE Branches %]
4  [% USE Categories %]
5  [% USE AdditionalContents %]
6  [% PROCESS 'html_helpers.inc' %]
7  [% SET OpacLangSelectorMode = Koha.Preference('OpacLangSelectorMode') %]
8  [% SET OpacHeader = AdditionalContents.get( location => "opacheader", lang => lang,
library => logged_in_user.branchcode || default_branch, blocktitle => 0 ) %]
9  [% SET OpacCustomSearch = AdditionalContents.get( location => "OpacCustomSearch", lang
=> lang, library => logged_in_user.branchcode || default_branch, blocktitle => 0 ) %]
10 [% SET OpacLoginInstructions = AdditionalContents.get( location =>
"OpacLoginInstructions", lang => lang, library => branchcode || default_branch ) %]
11 [% SET OpacMoreSearches = AdditionalContents.get( location => "OpacMoreSearches", lang
=> lang, library => branchcode || default_branch ) %]
12
13 <button id="scrolltocontent">Skip to main content</button>
14 <div id="wrapper">
15   <div id="header-region" class="noprint">
16     <nav class="navbar navbar-expand">
17       <div id="logo">
18         <a class="navbar-brand" href="/cgi-bin/koha/opac-main.pl">
19           [% IF ( LibraryNameTitle ) %]
20             [% LibraryNameTitle | html %]
21           [% ELSE %]
22             Koha online
23           [% END %]
24         </a>
25       </div>
26       [% IF ( Koha.Preference( 'opacbookbag' ) == 1 ) %]
27         <div id="cartDetails" class="cart-message">Your cart is empty.</div>
28       [% END %]
29       <ul id="cart-list-nav" class="navbar-nav">
30         [% IF ( Koha.Preference( 'opacbookbag' ) == 1 ) %]
31           <li class="nav-item js-show">
32             <a href="#" class="nav-link" title="Collect items you are
interested in" id="cartmenulink" role="button">
33               <i id="carticon" class="fa fa-shopping-cart fa-icon-black"
aria-hidden="true"></i> <span class="cartlabel">Cart</span>
34               <span id="basketcount"></span>
35             </a>
36           </li>
37         [% END %]
38         <li class="divider-vertical"></li>
39         [% IF ( Koha.Preference( 'virtualshelves' ) == 1 ) %]
40           <li class="nav-item dropdown">
41             <a href="/cgi-bin/koha/opac-shelves.pl" title="Show lists" class=
"nav-link dropdown-toggle" id="listsmenu" data-toggle="dropdown"
role="button" aria-haspopup="true" aria-expanded="false"
42               ><i class="fa fa-list fa-icon-black" aria-hidden="true"></i>
43               <span class="listslabel">Lists</span>
44             </a>
45             <div aria-labelledby="listsmenu" role="menu" class=
"dropdown-menu">
46               [% IF some_public_shelves.count %]
47                 <a class="dropdown-item" href=
"/cgi-bin/koha/opac-shelves.pl?op=list&public=1"
tabindex="-1" role="menuitem"><strong>Public lists
48                 </strong></a>
49               [% SET number_of_public_shelves = 0 %]
50               [% FOREACH s IN some_public_shelves %]
51                 <a class="dropdown-item" href=
"/cgi-bin/koha/opac-shelves.pl?op=view&shelfnumbe
r=[% s.shelfnumber | uri %]&sortfield=[%
s.sortfield | uri %]" tabindex="-1" role="menuitem">
52                 [% s.shelfname | html %]</a>
53               [% SET number_of_public_shelves =

```

```

50         number_of_public_shelves + 1 %]
51         [% IF number_of_public_shelves >= 10 %][% LAST %][%
52         END %]
53     [% END %]
54     [% IF some_public_shelves > 10 %]
55     <a class="dropdown-item listmenulink" href=
56     "/cgi-bin/koha/opac-shelves.pl?op=list&public=1"
57     tabindex="-1" role="menuitem">View all</a>
58     [% END %]
59     [% END %]
60     [% IF some_public_shelves.count > 0 %]
61     <div class="dropdown-divider"></div>
62     [% END %]
63     [% IF Koha.Preference( 'opacuserlogin' ) == 1 %]
64     <a class="dropdown-item" href=
65     "/cgi-bin/koha/opac-shelves.pl?op=list&public=0"
66     tabindex="-1" role="menuitem"><strong>Your lists
67     </strong></a>
68     [% IF loggedinusername %]
69     [% IF some_private_shelves.count %]
70     [% SET number_of_private_shelves = 0 %]
71     [% FOREACH s IN some_private_shelves %]
72     <a class="dropdown-item" href=
73     "/cgi-bin/koha/opac-shelves.pl?op=view&sh
74     elfnumber=[% s.shelfnumber | uri
75     %]&sortfield=[% s.sortfield | uri %]"
76     tabindex="-1" role="menuitem">[% s.shelfname
77     | html %]</a>
78     [% SET number_of_private_shelves =
79     number_of_private_shelves + 1 %]
80     [% IF number_of_private_shelves >= 10 %][%
81     LAST %][% END %]
82     [% END %]
83     [% IF some_private_shelves > 10 %]
84     <a class="dropdown-item listmenulink" href=
85     "/cgi-bin/koha/opac-shelves.pl?op=list&pu
86     blic=0" tabindex="-1" role="menuitem">View
87     all</a>
88     [% END %]
89     [% ELSE %]
90     <a class="dropdown-item disabled" href="#"
91     tabindex="-1" role="menuitem">No private lists
92     </a>
93     [% END %]
94     <a class="dropdown-item listmenulink" href=
95     "/cgi-bin/koha/opac-shelves.pl?op=add_form"
96     tabindex="-1" role="menuitem">New list</a>
97     [% ELSE %]
98     <a class="dropdown-item" href=
99     "/cgi-bin/koha/opac-shelves.pl?op=add_form" tabindex=
100    "-1" role="menuitem">Log in to create your own lists
101    </a>
102    [% END # / IF loggedinusername %]
103    [% END # / IF opacuserlogin %]
104    </div> <!-- / .dropdown-menu -->
105    </li> <!-- / .nav-item.dropdown -->
106    [% END # / IF virtualshelves %]
107    </ul> <!-- / .navbar-nav -->
108
109    [% IF Koha.Preference( 'opacuserlogin' ) == 1 || Koha.Preference(
110    'EnableOpacSearchHistory' ) || Koha.Preference( 'opaclanguagesdisplay' ) %]
111    [% IF ( Koha.Preference( 'opaclanguagesdisplay' ) ) %]
112    [% INCLUDE 'masthead-langmenu.inc' %]
113    [% END %]
114    <ul id="members" class="navbar-nav">
115    <li class="nav-item dropdown">
116    [% IF ( Koha.Preference( 'opacuserlogin' ) == 1 ) %]

```

```

92 [% IF ( loggedinusername ) %]
93 <a href="/cgi-bin/koha/opac-user.pl" class=
"dropdown-toggle" id="user-menu" data-toggle="dropdown"
role="button">
94 <i class="fa fa-user fa-icon-black fa-fw" aria-hidden
="true"></i>
95 <span class="userlabel">Welcome, [% INCLUDE
'patron-title.inc' patron = logged_in_user no_html =
1 %]</span>
96 </a>
97 <a tabindex="-1" role="menuitem" class="logout js-hide"
href="/cgi-bin/koha/opac-main.pl?logout.x=1"><i class=
"fa fa-fw fa-sign-out" aria-hidden="true"></i> Log out
</a>
98 [% ELSE %]
99 [% IF Koha.Preference('casAuthentication') %]
100 [%# CAS authentication is too complicated for modal
window %]
101 <a class="nav-link login-link" href=
"/cgi-bin/koha/opac-user.pl"><i class="fa
fa-user fa-icon-black fa-fw" aria-hidden="true"
></i> <span class="userlabel">Log in to your
account</span></a>
102 [% ELSIF ( Koha.Preference('GoogleOpenIDConnect') == 1 )
%]
103 <a href="/cgi-bin/koha/svc/auth/googleopenidconnect"
class="nav-link login-link loginModal-trigger"><i
class="fa fa-user fa-icon-black fa-fw" aria-hidden=
"true"></i> <span class="userlabel">Log in to your
account</span></a>
104 [% ELSE %]
105 <a href="/cgi-bin/koha/opac-user.pl" class="nav-link
login-link loginModal-trigger"><i class="fa fa-user
fa-icon-black fa-fw" aria-hidden="true"></i> <span
class="userlabel">Log in to your account</span></a>
106 [% END %]
107 [% END %]
108 [% END %]
109
110 [% IF ( Koha.Preference( 'opacuserlogin' ) == 1 &&
loggedinusername ) %]
111 <div aria-labelledby="user-menu" role="menu" class=
"dropdown-menu dropdown-menu-right">
112 <div id="loggedinuser-menu">
113 <p>
114 <a class="login-link" href=
"/cgi-bin/koha/opac-user.pl"><span class=
"loggedinusername" data-borrowernumber="[%
logged_in_user.borrowernumber | html %]"
data-branchcode="[% logged_in_user.branchcode |
html %]" data-categorycode="[%
logged_in_user.categorycode | html %]">Your
account</span></a>
115 </p>
116 [% IF Koha.Preference( 'EnableOpacSearchHistory' ) %]
117 <p>
118 <a tabindex="-1" role="menuitem" class=
"login-link" href=
"/cgi-bin/koha/opac-search-history.pl" title=
"View your search history">Search history</a>
119 <span class="divider-vertical"></span>
120 <a class="clearsh" href=
"/cgi-bin/koha/opac-search-history.pl?action=
delete" title="Delete your search history"><i
class="fa fa-trash" aria-hidden="true"></i>
Clear</a>
121 </p>

```



```

176         ="au">Author</option>
177     [% ELSE %]
178         <option value="au">Author
179         </option>
180     [% END # /ms_au%]
181     [% IF ( ms_ti ) %]
182         <option selected="selected" value
183         ="ti">Title</option>
184     [% ELSE %]
185         <option value="ti">Title</option>
186     [% END # /ms_ti
187     %]
188
189     [% IF ( ms_code-institution) %]
190         <option selected="selected" value
191         ="code-institution">Institution
192         </option>
193     [% ELSE %]
194         <option value="code-institution">
195         Institution</option>
196     [% END # /ms_code-institution%]
197     [% IF ( ms_code-institution) %]
198         <option selected="selected" value
199         ="geographic-class">Department
200         </option>
201     [% ELSE %]
202         <option value="geographic-class">
203         Department</option>
204     [% END # /ms_geographic-class%]
205     [% IF ( ms_itype ) %]
206         <option selected="selected" value
207         ="itype">Form of publication
208         </option>
209     [% ELSE %]
210         <option value="itype">Form of
211         publication</option>
212     [% END # /ms_itype %]
213     [% IF ( ms_nlm-call-number ) %]
214         <option selected="selected" value
215         ="nlm-call-number">PMID</option>
216     [% ELSE %]
217         <option value="nlm-call-number">
218         PMID</option>
219     [% END # /ms_nlm-call-number%]
220     [% IF ( ms_title-other-variant ) %]
221         <option selected="selected" value
222         ="title-other-variant">Journal
223         </option>
224     [% ELSE %]
225         <option value=
226         "title-other-variant">Journal
227         </option>
228     [% END # /ms_title-other-variant %]
229
230 </select>
231 </div> <!-- /.col-sm-auto -->
232
233 <div class="col order-4 order-sm-3">
234     [% IF ( !Koha.Preference(
235     'OpacAddMastheadLibraryPulldown' ) == 1
236     && mylibraryfirst ) %]
237         <input type="text" class="transl1
238         form-control form-control-filtered"
239         id="translControl1" name="q" value=
240         "[% ms_value | html %]" data-toggle=
241         "tooltip" data-placement="top" title=

```

```

217         "Searching in [% Branches.GetName(
218         mylibraryfirst ) | html %] only" />
        <span id="translControl"></span>
[% ELSE %]
        <input type="text" class="transl1
        form-control" id="translControl1"
        name="q" value="[% ms_value | html
        %]" /><span id="translControl"
        ></span>
219     [% END # /ms_value %]
220 </div> <!-- /.col -->
221
222 [% IF ( Koha.Preference(
223 'OpacAddMastheadLibraryPullDown' ) == 1 ) %]
        <div class="col-sm col-md-3 col-lg-2
        order-3 order-sm-4">
224         <select name="limit" id=
        "select_library" class="form-control"
        >
225             <option value="">All libraries
        </option>
226
227         [% IF LibrarySearchGroups %]
        <optgroup label="Libraries">[%
        END %]
228
229         [% FOREACH library IN
        Branches.all( selected =>
        opac_name ) %]
        [% IF library.selected %]
230             <option selected=
231             "selected" value=
        "branch:[%
        library.branchcode |
        html %]">[%
        library.branchname |
        html %]</option>
232         [% ELSE %]
233             <option value="branch:[%
        library.branchcode |
        html %]">[%
        library.branchname |
        html %]</option>
234         [% END %]
235     [% END %]
236
237 [% IF LibrarySearchGroups %]
238     </optgroup>
239     <optgroup label="Groups">
240         [% FOREACH lsg IN
        LibrarySearchGroups %]
241             [% IF
        'multibranchlimit-'
        _lsg.id ==
        opac_name || lsg.id
        == opac_name %]
242                 <option selected=
        "selected" value=
        "multibranchlimit
        :[% lsg.id |
        html %]">[%
        lsg.title | html
        %]</option>
243             [% ELSE %]
244                 <option value=
        "multibranchlimit
        :[% lsg.id |

```

```

245         html %]">[%
                lsg.title | html
                %]</option>
                [% END # /
                bc.selected %]
246         [% END %]
247     </optgroup>
248     [% END # / BranchCategoriesLoop
        %]
249     </select> <!-- /#select_library -->
250 </div> <!-- /.col-sm-auto -->
251 [% ELSE %]
252     [% IF ( opac_limit_override ) %]
253     [% IF ( opac_search_limit ) %]
254         [% IF ( multibranchlimit =
                opac_search_limit.match(
                'branch:multibranchlimit-(\d+)'
                ) ) %]
255             <input name="limit" value=
                "multibranchlimit:[%
                multibranchlimit.0 | html %]"
                type="hidden" />
                [% ELSE %]
256             <input name="limit" value=
                "[% opac_search_limit | html
                %]" type="hidden" />
                [% END %]
257     [% END %]
258     [% ELSE %]
259     [% IF ( mylibraryfirst ) %]
260         <input name="limit" value=
                "branch:[% mylibraryfirst | html
                %]" type="hidden" />
                [% END %]
261     [% END # / opac_limit_override %]
262 [% END # / OpacAddMastheadLibraryPulldown %]
263
264 <div class="order-5 col-sm-auto">
265     <button type="submit" id="searchsubmit"
266     class="btn btn-primary" title="Search"
267     aria-label="Search">
268         <i class="fa fa-search" aria-hidden=
                "true"></i>
                </button>
                </div>
269
270 </div> <!-- /.form-row -->
271 <input type="hidden" name="weight_search" value=
                "1">
272 </form>
273 [% END # / ( OpacCustomSearch ) %]
274 </div><!-- /#opac-main-search -->
275 </div> <!-- /.col -->
276 </div> <!-- /.row -->
277 [% END # / UNLESS advsearch %]
278
279 <div class="row">
280     <ul class="nav" id="moresearches">
281         <li class="nav-item">
282             <a href="/cgi-bin/koha/opac-search.pl">Advanced search</a>
283         </li>
284         [% IF ( Koha.Preference( 'UseCourseReserves' ) == 1 ) %]
285         <li class="nav-item">
286             <a href="/cgi-bin/koha/opac-course-reserves.pl">Course
287             reserves</a>
288         </li>
289     </ul>
290 [% END %]
291

```

```

292 [% IF Koha.Preference( 'OpacBrowser' ) == 1 %]
293     <li class="nav-item">
294         <a href="/cgi-bin/koha/opac-browser.pl">Browse by hierarchy
295         </a>
296     </li>
297 [% END %]
298 [% IF Koha.Preference( 'OpacAuthorities' ) == 1 %]
299     <li class="nav-item">
300         <a href="/cgi-bin/koha/opac-authorities-home.pl">Authority
301         search</a>
302     </li>
303 [% END %]
304 [% IF ( Koha.Preference( 'opacuserlogin' ) == 1 ) && (
305 Koha.Preference( 'OPACComments' ) == 1 ) && ( Koha.Preference(
306 'OpacShowRecentComments' ) == 1 ) ) %]
307     <li class="nav-item">
308         <a href="/cgi-bin/koha/opac-showreviews.pl">Recent comments
309         </a>
310     </li>
311 [% END %]
312 [% IF Koha.Preference( 'TagsEnabled' ) == 1 %]
313     <li class="nav-item">
314         <a href="/cgi-bin/koha/opac-tags.pl">Tag cloud</a>
315     </li>
316 [% END %]
317 [% IF Koha.Preference( 'OpacCloud' ) == 1 %]
318     <li class="nav-item">
319         <a href="/cgi-bin/koha/opac-tags_subject.pl">Subject cloud
320         </a>
321     </li>
322 [% END %]
323 [% IF Koha.Preference( 'OpacTopissue' ) == 1 %]
324     <li class="nav-item">
325         <a href="/cgi-bin/koha/opac-topissues.pl">Most popular</a>
326     </li>
327 [% END %]
328 [% IF Koha.Preference( 'SearchEngine' ) == 'Elasticsearch' &&
329 Koha.Preference( 'OpacBrowseSearch' ) == 1 %]
330     <li class="nav-item">
331         <a href="/cgi-bin/koha/opac-browse.pl">Browse search</a>
332     </li>
333 [% END %]
334 [% IF Koha.Preference( 'suggestion' ) == 1 %]
335     [% IF Koha.Preference( 'AnonSuggestions' ) == 1 ||
336 Koha.Preference( 'OPACViewOthersSuggestions' ) == 1 %]
337         <li class="nav-item">
338             <a href=
339                 "/cgi-bin/koha/opac-suggestions.pl?suggested_by_anyone=1"
340                 >Purchase suggestions</a>
341         </li>
342     [% END %]
343 [% END %]
344 <!-- changed for authcat -->
345 <li class="nav-item">
346     <a id="howto_page" href="/cgi-bin/koha/opac-page.pl?page_id=9">
347         [% IF ( singleBranchMode ) %]
348         <span>How To</span>
349         [% ELSE %]
350         <span>Libraries</span>
351         [% END %]
352     </a>
353 </li>
354 [% PROCESS koha_news_block news => OpacMoreSearches %]
355 </ul> <!-- /.nav#moresearches -->
356 </div> <!-- /.row -->
357 </div> <!-- /.container-fluid -->
358 [% END # / OpacPublic %]

```



```

349 <!-- Login form hidden by default, used for modal window -->
350 <div id="loginModal" class="modal" tabindex="-1" role="dialog" aria-labelledby=
351 "modalLoginLabel" aria-hidden="true">
352   <div class="modal-dialog">
353     <div class="modal-content">
354       <div class="modal-header">
355         <h2 class="modal-title" id="modalLoginLabel">Log in to your account
356         </h2>
357         <button type="button" class="closebtn" data-dismiss="modal"
358           aria-label="Close">
359           <span aria-hidden="true">&times;</span>
360         </button>
361       </div>
362       <form action="/cgi-bin/koha/opac-user.pl" method="post" name="auth" id=
363 "modalAuth">
364         <input type="hidden" name="has-search-query" id="has-search-query"
365         value="" />
366         <div class="modal-body">
367           [% IF ( Koha.Preference('GoogleOpenIDConnect') == 1 ) %]
368           <a href="/cgi-bin/koha/svc/auth/googleopenidconnect" class=
369             "btn btn-light" id="openid_connect"><i class="fa fa-google"
370             aria-hidden="true"></i> Log in with Google</a>
371           <p>If you do not have a Google account, but do have a local
372             account, you can still log in: </p>
373           [% END # /IF GoogleOpenIDConnect %]
374           [% IF ( shibbolethAuthentication ) %]
375           [% IF ( invalidShibLogin ) %]
376             <!-- This is what is displayed if shibboleth login has
377             failed to match a koha user -->
378             <div class="alert alert-info">
379               <p>Sorry, your Shibboleth identity does not match a
380                 valid library identity. If you have a local login,
381                 you may use that below.</p>
382             </div>
383           [% ELSE %]
384             <h3>Shibboleth login</h3>
385             <p><a href="[% shibbolethLoginUrl | $raw %]">Log in
386               using a Shibboleth account</a>.</p>
387             [% UNLESS Koha.Preference('opacShibOnly') %]
388               <h3>Local login</h3>
389             [% END %]
390           [% END %]
391           [% UNLESS Koha.Preference('opacShibOnly') %]
392             <input type="hidden" name="koha_login_context" value="opac"
393             />
394             <fieldset class="brief">
395               <div class="local-login">
396                 <label for="muserid">Login:</label><input type="text"
397                 id="muserid" name="userid" autocomplete="off" />
398                 <label for="mpassword">Password:</label><input type=
399                 "password" id="mpassword" name="password"
400                 autocomplete="off" />
401                 <fieldset class="action">
402                   <input type="submit" class="btn btn-primary"
403                   value="Log in" />
404                 </fieldset>
405               </div>
406             [% IF OpacLoginInstructions %]
407               <div id="nologininstructions-modal" class=
408                 "nologininstructions">
409                 [% PROCESS koha_news_block news =>
410                   OpacLoginInstructions %]
411               </div>
412             [% END %]
413           [% IF Koha.Preference('OpacPasswordChange') &&

```

```
397     Categories.can_any_reset_password %]
398     <div id="forgotpassword-modal" class="forgotpassword"
399     >
400         <a href="/cgi-bin/koha/opac-password-recovery.pl"
401         >Forgot your password?</a>
402     </div>
403 [% END %]
404 [% IF PatronSelfRegistration &&
405 PatronSelfRegistrationDefaultCategory %]
406     <div id="patronregistration-modal" class=
407     "patronregistration">
408         <p>Don't have an account? <a href=
409         "/cgi-bin/koha/opac-memberentry.pl">Register
410         here.</a></p>
411     </div>
412 [% END %]
413 </fieldset>
414 [% END %]
415 </div> <!-- /#auth -->
416 </div> <!-- /.modal-content -->
417 </div> <!-- /.modal-dialog -->
418 </div> <!-- /#modalAuth -->
```