


```

192 != 'itemtypes') OR
193 (((!itemtypeloo.searchcategory) AND
194 (itemtypeloo.cat == 0)) OR
195 (itemtypeloo.cat == 1)) %]
196 <div class="col-sm-6 col-lg-3">
197 <input type="checkbox"
198 id="[% itemtypeloo.ccl
199 FILTER remove(',') |
200 html %]-[%
201 itemtypeloo.number |
202 html %]"
203 name="[% IF (
204 itemtypeloo.cat == 1 )
205 %]searchcat[% ELSE
206 %]limit[% END %]"
207 value="[% IF (
208 itemtypeloo.cat == 1 )
209 %][% itemtypeloo.code |
210 html %][% ELSE %]mc-[%
211 itemtypeloo.ccl | html
212 %]:[% itemtypeloo.code |
213 html %][% END %]"
214 />
215 <label for="[%
216 itemtypeloo.ccl FILTER
217 remove(',') | html %]-[%
218 itemtypeloo.number | html %]"
219 >
220 [% UNLESS (
221 Koha.Preference('OpacNoItemTypeImages')) %]
222 [% IF (
223 itemtypeloo.imageurl
224 ) %]
225 
232 [% END %]
233 &nbsp;
234 [% END %]
235 [%
236 itemtypeloo.description
237 | html %]
238 </label>
239 </div>
240 [% IF ( loop.last ) %] </div> [% ELSE
241 %] [% UNLESS ( loop.count % 4 ) %]
242 </div> <div class="row"> [% END %] [%
243 END %]
244 [% END %]
245 [% END %]
246 </fieldset>
247 </div> <!-- / #advsearch-[%
248 advsearchloo.advanced_search_type | html %] -->
249 [% END # / FOREACH advancedsearchesloop %]
250 </div> <!-- /.tab-content -->
251 </div> <!-- / #advsearches -->
252 </div> <!-- / .col -->
253 [% END # /IF OpacAdvSearchOptions %]
254 </div>
255 <div id="advsearch_limits" class="row">
256 <!--

```

```

222
223     [%# Following on one line for translatability %]
224     [% IF ( ( OpacAdvSearchOptions and
OpacAdvSearchOptions.grep('location').size > 0 and not expanded_options
) or ( OpacAdvSearchMoreOptions and
OpacAdvSearchMoreOptions.grep('location').size > 0 and expanded_options
) ) %]
225         [% IF ( singleBranchMode ) %]
226             <div class="col-sm-6 col-lg-3">
227                 <!-- AVAILABILITY LIMITS -->
228 <!--
229
230             <div id="location" class="advsearch_limit">
231                 <fieldset>
232                     <legend>Availability: </legend>
233                     <div style="margin-top:.4em">
234                         <label for="available-items"><input
type="checkbox" id="available-items"
name="limit" value="available" /> Only items
currently available for loan or reference</label>
235                     </div>
236                 </fieldset>
237             </div> <!-- / #location -->
238             <!-- /AVAILABILITY LIMITS -->
239 <!--
240         </div> <!-- / .col -->
241 <!--
242     [% ELSE %]
243     <div class="col-sm-6 col-lg-3">
244         <!-- AVAILABILITY LIMITS -->
245 <!--
246         <div id="location" class="advsearch_limit">
247             <fieldset>
248                 <label for="branchloop">Location and
availability:</label>
249                 <select name="limit" id="branchloop">
250                 <option value="">All libraries</option>
251                 [% FOREACH BranchesLoo IN Branches.all( selected =>
opac_name ) %]
252                     [% IF BranchesLoo.selected %]
253                         <option value="branch:[%
BranchesLoo.branchcode | html %]"
selected="selected">[%
BranchesLoo.branchname | html %]</option>
254                 [% ELSE %]
255                         <option value="branch:[%
BranchesLoo.branchcode | html %]">[%
BranchesLoo.branchname | html %]</option>
256                 [% END %]
257             [% END %]
258             </select>
259             [% IF search_groups %]
260                 <p>OR</p>
261                 <label for="categoryloop">Groups of
libraries</label>
262                 <select name="limit" id="categoryloop">
263                 <option value=""> -- none -- </option>
264                 [% FOREACH sg IN search_groups %]
265                     <option value="multibranchlimit:[% sg.id
| html %]">[% sg.title | html %]</option>
266                 [% END %]
267             </select>
268             [% END %]
269             <div style="margin-top:.4em">
270                 <label for="available-items"><input
type="checkbox" id="available-items"
name="limit" value="available" /> Only items

```

```

                currently available for loan or reference</label>
271         </div>
272     </fieldset>
273 </div> <!-- / #location -->
274 <!-- /AVAILABILITY LIMITS -->
275 <!--
276         </div> <!-- / .col -->
277 <!--
278     [% END # / IF singleBranchMode %]
279 [% END %]
280 -->
281
282 [%# Following on one line for translatability %]
283 [% IF ( ( OpacAdvSearchOptions and
OpacAdvSearchOptions.grep('sorting').size > 0 and not expanded_options )
or ( OpacAdvSearchMoreOptions and
OpacAdvSearchMoreOptions.grep('sorting').size > 0 and expanded_options )
) %]
284     <div class="col-sm-6 col-lg-3">
285         <!-- RANK LIMITS -->
286         <div id="sortby" class="advsearch_limit">
287             <fieldset>
288                 <label for="sort_by">Sort by:</label>
289                 <select id="sort_by" name="sort_by">
290                     [% INCLUDE 'resort_form.inc' %]
291                 </select>
292             </fieldset>
293         </div>
294         <!-- RANK LIMITS -->
295     </div> <!-- / .col -->
296 [% END %]
297
298 [%# Following on one line for translatability %]
299 [% IF ( ( OpacAdvSearchOptions and
OpacAdvSearchOptions.grep('pubdate').size > 0 and not expanded_options )
or ( OpacAdvSearchMoreOptions and
OpacAdvSearchMoreOptions.grep('pubdate').size > 0 and expanded_options )
) %]
300     <div class="col-sm-6 col-lg-3">
301         <div id="pubrange" class="advsearch_limit">
302             <!-- PUB RANGE OPTION -->
303             <fieldset>
304                 <label for="limit-yr">Publication date range</label>
305                 <input type="text" size="30" id="limit-yr" name=
"limit-yr" title="Enter search terms" value="" />
306                 <div class="hint">For example: 1999-2001. You could
also use "-1987" for everything published in and before
1987 or "2008-" for everything published in 2008 and
after.</div>
307             </fieldset>
308             <!-- /PUB RANGE OPTION -->
309         </div>
310     </div>
311 [% END %]
312 <!--
313
314 [%# Following on one line for translatability %]
315 [% IF ( ( OpacAdvSearchOptions and
OpacAdvSearchOptions.grep('language').size > 0 and not expanded_options
) or ( OpacAdvSearchMoreOptions and
OpacAdvSearchMoreOptions.grep('language').size > 0 and expanded_options
) ) %]
316     <div class="col-sm-6 col-lg-3">
317         <div id="langfilter" class="advsearch_limit">
318             <fieldset>
319                 <!-- LANGUAGE LIMIT -->
320 <!--

```

```

321         <label for="language-limit">Language</label>
322         <select id="language-limit" name="limit">
323             <option value="">No limit</option>
324             [% FOREACH search_languages_loo IN
                 search_languages_loop %]
325                 [% IF ( search_languages_loo.selected ) %]
326                     <option value="ln,rtrn:[%
                         search_languages_loo.iso639_2_code | html
                         %]" selected="selected">[%
                         search_languages_loo.language_description |
                         html %]</option>
327                 [% ELSE %]
328                     <option value="ln,rtrn:[%
                         search_languages_loo.iso639_2_code | html
                         %]">[%
                         search_languages_loo.language_description |
                         html %]</option>
329                 [% END %]
330             [% END %]
331         </select>
332         <!-- /LANGUAGE LIMIT -->
333 <!--
334             </fieldset>
335         </div> <!-- / #langfilter -->
336 <!--
337             </div> <!-- / .col -->
338 <!--
339         [% END %]
340 </div> <!-- / .row -->
341 <!--
342
343 [%# Following on one line for translatability %]
344 [% IF ( ( OpacAdvSearchOptions and OpacAdvSearchOptions.grep('subtype').size
> 0 and not expanded_options ) or ( OpacAdvSearchMoreOptions and
OpacAdvSearchMoreOptions.grep('subtype').size > 0 and expanded_options ) ) %]
345     [% IF ( usmarc ) %]
346         <div id="subtypes" class="row">
347             <!-- SUBTYPE LIMITS -->
348
349 <!--
350
351             </div> <!-- / .col-sm-6 col-lg-3 -->
352         </div> <!-- / #subtypes.row -->
353         <!-- SUBTYPE LIMITS -->
354 <!--
355         [% END # / IF usmarc %]
356
357     [% IF ( UNIMARC ) %]
358         <div id="subtypes_unimarc" class="row">
359             <!-- SUBTYPE LIMITS -->
360 <!--
361             [% INCLUDE 'subtypes_unimarc.inc' %]
362         </div>
363     [% END %]
364 [% END # / IF expanded_options %]
365
366 [% IF ( OpacAdvSearchMoreOptions and OpacAdvSearchMoreOptions.size > 0 and
expanded_options ) or ( OpacAdvSearchOptions and OpacAdvSearchOptions.size >
0 and not expanded_options ) %]
367     <div class="text-center">
368         <fieldset class="action">
369             <!-- SEARCH BUTTONS -->
370 <!--
371             [% PROCESS searchbuttons %]
372             <!-- /SEARCH BUTTONS -->
373 <!--
374         </fieldset>

```



```

375         </div>
376     [% END %]
377 </div> <!-- / .container-fluid -->
378 </div> <!-- / .main -->
379 </form>
380
381 [% INCLUDE 'opac-bottom.inc' %]
382 [% BLOCK searchbuttons %]
383     <p>
384         <input class="btn btn-primary" type="submit" accesskey="s" name="do" title=
            "Search" value="Search" />
385
386         [% IF ( OpacAdvSearchMoreOptions and OpacAdvSearchMoreOptions.size > 0 ) %]
387             [% IF expanded_options %]
388                 <a href="/cgi-bin/koha/opac-search.pl?expanded_options=0" class="btn
                    btn-default more-less-options">Fewer options</a>
389             [% ELIF not expanded_options %]
390                 <a href="/cgi-bin/koha/opac-search.pl?expanded_options=1" class="btn
                    btn-default more-less-options">More options</a>
391             [% END %]
392         [% END %]
393
394         <a href="/cgi-bin/koha/opac-search.pl?do=Clear" class="btn btn-default
            new-search">New search</a>
395     </p>
396 [% END %]
397
398 [% BLOCK jsinclude %]
399 [% Asset.js("lib/jquery/plugins/jquery.deserialize.min.js") | $raw %]
400 <script>
401 $(document).ready(function() {
402     [% IF search_groups %]
403         function branch_limit() {
404             if( $("#branchloop").val() != "" ){
405                 $("#categoryloop").val("").prop('disabled',true);
406             } else {
407                 $("#categoryloop").prop('disabled',false);
408             }
409             if ( $("#categoryloop").val() != "" ){
410                 $("#branchloop").val("").prop('disabled',true);
411             } else {
412                 $("#branchloop").prop('disabled',false);
413             }
414         }
415         branch_limit();
416         $("#branchloop,#categoryloop").on("change",function(){
417             branch_limit();
418         });
419     [% END %]
420
421     if( $("#advsearches .tab-pane.active").length < 1 ){
422         $("#advsearches a:first").tab("show");
423     }
424
425     $(' .search-term-row .search-term-input select[name="op"]').first().prop("disabled",
        true).hide();
426
427     [% IF ( ReturnToSearch ) %]
428         if ( form_serialized = JSON.parse( Cookies.get("form_serialized") ) ) {
429             // Add missing term inputs if there were more than 3
430             var count = (form_serialized.match(/&q=/g) || []).length;
431             for(var i = 3 ; i < count ; i++) {
432                 $("a.ButtonPlus:last").click();
433             }
434             $('#advsearch form').deserialize(form_serialized);
435         }
436         if (form_serialized_limits = JSON.parse( Cookies.get("form_serialized_limits") ) )

```

```

437     ) {
438         $( '#language-limit' )         .val( form_serialized_limits [0] );
439         $( '#branchloop' )             .val( form_serialized_limits [1] );
440         $( '#subtype_audience' )      .val( form_serialized_limits [2] );
441         $( '#subtype_content' )        .val( form_serialized_limits [3] );
442         $( '#subtype_format' )         .val( form_serialized_limits [4] );
443         $( '#subtype_additional' )     .val( form_serialized_limits [5] );
444         $( '#locloop' )                .val( form_serialized_limits [6] );
445     }
446 [% ELSE %]
447     //Clear all form cookies
448     Cookies.remove( "form_serialized", { path: '/' });
449     Cookies.remove( "form_serialized_limits", { path: '/' });
450     Cookies.remove( "search_path_code", { path: '/' });
451 [% END %]
452 $( '#advsearch_form' ).submit( function() {
453     $( '[name^="limit"]' ).each( function() {
454         if( $( this ).val() == '' ) {
455             $( this ).prop( "disabled", "disabled" );
456         }
457     });
458     $( ".search-term-row" ).each( function() {
459         if( $( this ).find( 'input[name="q"]' ).val() == "" ) {
460             $( this ).find( 'input[name="q"]' ).prop( "disabled", "disabled" );
461             $( this ).find( 'select[name="op"]' ).prop( "disabled", "disabled" );
462             $( this ).find( 'select[name="idx"]' ).prop( "disabled", "disabled" );
463         }
464     });
465     form_serialized = $( this ).serialize();
466     Cookies.set( "form_serialized", JSON.stringify( form_serialized ), { path: '/',
467     sameSite: 'Lax' });
468     form_serialized_limits = [
469         $( '#language-limit' ).val(),    $( '#branchloop' ).val(),
470         $( '#subtype_audience' ).val(), $( '#subtype_content' ).val(),
471         $( '#subtype_format' ).val(),    $( '#subtype_additional' ).val(),
472         $( '#locloop' ).val()
473     ];
474     Cookies.set( "form_serialized_limits", JSON.stringify( form_serialized_limits ), {
475     path: '/', sameSite: 'Lax' });
476 [% IF ( expanded_options ) %]
477     Cookies.set( "search_path_code", 'exs', { path: '/', sameSite: 'Lax' });
478 [% ELSE %]
479     Cookies.set( "search_path_code", 'ads', { path: '/', sameSite: 'Lax' });
480 [% END %]
481 });
482
483 /* This function allows to display a new field to search.
484 */
485 $( document ).on( "click", '.ButtonPlus', function( e ) {
486     e.preventDefault();
487     $( '.ButtonLess' ).show();
488     var thisLine = $( this ).parent().parent();
489     var newLine = thisLine.clone();
490     $( newLine ).find( '.search-term-input select[name="op"]' ).first().prop( "disabled",
491     false ).show();
492     newLine.find( 'input' ).val( '' );
493     thisLine.after( newLine );
494 });
495
496 $( document ).on( "click", '.ButtonLess', function( e ) {
497     e.preventDefault();
498     if( $( "a.ButtonLess" ).length <= 2 ) {
499         $( '.ButtonLess' ).hide();
500     }
501     $( this ).parent().parent().remove();
502     $( '.search-term-row .search-term-input select[name="op"]' ).first().prop(

```

```
500         "disabled", true).hide();
501     });
502 </script>
503 [% END %]
504
```